

Package: kidsides (via r-universe)

September 5, 2024

Title Download, Cache, and Connect to 'KidSIDES'

Version 0.5.0

Maintainer Nicholas Giangreco <nick.giangreco@gmail.com>

Description Caches and then connects to a 'sqlite' database containing half a million pediatric drug safety signals. The database is part of a family of resources catalogued at <<https://nsides.io>>. The database contains 17 tables where the description table provides a map between the fields the field's details. The database was created by Nicholas Giangreco during his PhD thesis which you can read in Giangreco (2022) <[doi:10.7916/d8-5d9b-6738](https://doi.org/10.7916/d8-5d9b-6738)>. The observations are from the Food and Drug Administration's Adverse Event Reporting System. Generalized additive models estimated drug effects across child development stages for the occurrence of an adverse event when exposed to a drug compared to other drugs. Read more at the methods detailed in Giangreco (2022) <[doi:10.1016/j.medj.2022.06.001](https://doi.org/10.1016/j.medj.2022.06.001)>.

License CC BY 4.0

Encoding UTF-8

RoxygenNote 7.2.3

Imports DBI, RSQLite, R.utils, tools

Suggests ggplot2, dbplyr, tidyr, stringr, ggthemes, rlang, ggrepel, scales, pacman, dplyr, rmarkdown, knitr, covr, testthat (>= 3.0.0), DT, gt, lobstr, prettyunits, purrr, tidyverse

URL <https://github.com/ngiangre/kidsides>,
<https://ngiangre.github.io/kidsides/>, <https://nsides.io>

VignetteBuilder knitr

Depends R (>= 4.0)

Config/testthat/edition 3

Repository <https://ngiangre.r-universe.dev>

RemoteUrl <https://github.com/ngiangre/kidsides>

RemoteRef HEAD

RemoteSha 2e729fe3a873ba7b8372f0ede364841a33489d7c

Contents

connect_sqlite_db	2
disconnect_sqlite_db	2
download_sqlite_db	3
get_db_path	4

Index **5**

connect_sqlite_db *Connect to the Pediatric Drug Safety database*

Description

Establish a sqlite connection from the downloaded database.

Usage

```
connect_sqlite_db()
```

Value

SQLite connection

Examples

```
if(FALSE){
  download_sqlite_db()
  con <- connect_sqlite_db()
  disconnect_sqlite_db(con)
}
```

disconnect_sqlite_db *Disconnect from the Pediatric Drug Safety database*

Description

Disconnect the sqlite database connection.

Usage

```
disconnect_sqlite_db(con)
```

Arguments

con The sqlite connection

Value

TRUE, invisibly

Examples

```
if(FALSE){
  download_sqlite_db()
  con <- connect_sqlite_db()
  disconnect_sqlite_db(con)
}
```

download_sqlite_db *Download the Pediatric Drug Safety database*

Description

Download the database published in Giangreco et al. 2022. This function will prompt to download the database, so the cache directory will be identified and the database will be downloaded to it only after consent. Warning, the size of the uncompressed 'sqlite' file is close to 0.9GB or 900 MB. Use with caution.

Usage

```
download_sqlite_db(
  method = "auto",
  quiet = FALSE,
  timeout = 1000,
  force = FALSE
)
```

Arguments

method The method to download the sqlite database. See `download.file`

quiet Whether to download quietly. See `download.file`

timeout Extended download session for downloading this file. Default is 1000 seconds.

force Whether to force the download of the database. Defaults to FALSE. Needs to be TRUE for database to download. The function will prompt for confirmation.

Value

TRUE, invisibly

Examples

```
if(FALSE){  
  download_sqlite_db() #set force=TRUE if desired to download 0.9GB file to machine  
}
```

get_db_path

Return database cache

Description

This function returns the URL, sqlite database file, and cache names to be used for downloading the database to your machine.

Usage

```
get_db_path()
```

Value

list

Examples

```
get_db_path()
```

Index

`connect_sqlite_db`, [2](#)

`disconnect_sqlite_db`, [2](#)

`download_sqlite_db`, [3](#)

`get_db_path`, [4](#)